

FITNESS CENTERS

ICE ARENAS

GOLF COURSES

SKI RESORTS

RECREATION
FACILITIES

LOCKER ROOMS

PRO SHOPS

The Rubber Surfacing Specialists

SPORT MAT FLOORING

Get us under YOUR feet



DINO FLEX EUROPE

EUROPEAN DISTRIBUTOR OF DINO FLEX RUBBER FLOORING



FEATURES & benefits

- durable
- slip resistant
- sound absorbing
- interlocking
(adhesive not required)
- stain resistant
- shock absorbing
- low maintenance
- reduces muscle fatigue
- golf spike resistant
- skate blade resistant
- resistant to snow & ice
- color throughout
- removable, reversible, reusable

SPORT





Interlocking System - "Loose Lay" Flooring

Our in-house water jet cutter creates the precision cut, interlocking tiles resulting in a unified, seamless look. Installation costs are reduced because adhesives are not required. DINO FLEX interlocking tiles are reversible, doubling the life expectancy of your floor.

T MAT flooring

Square Cut - Glued Down Flooring

Our high density, superior quality rubber tiles are perfect in areas subjected to high temperature and humidity variations. Adhering these precision cut tiles to the sub-floor provides dimensional stability and reduces cutting waste. Depending on thickness, each rubber tile weighs between 10 and 22 pounds which means that one person can easily carry and lay out the flooring.



- #1 G
- #7D PINE
- #21 GREY
- #43 EGGSHEL
- #22 BEIGE
- #11 BROWN
- #0 B

- #79 YELLOW
- #3C EARTH YELLOW
- #10 ORANGE
- #18 RED
- #RB ROSE
- #77 PURPLE
- #5D ROYAL BLUE
- #3A CAPRI
- #20 BLUE
- #78 TURQUOISE
- #19 GREEN
- #7D PINE GREEN
- #21 GREY
- #43 EGG SHELL
- #22 BEIGE
- #11 BROWN
- #00 BLACK



CUSTOM LOGOS & MESSAGES

Using our water cutter technology, you are able to design a rubber floor that is both functional and appealing. You can use valuable floor space to your advantage, for example, display your logo or brand repeatedly throughout your facility, write a message to your customers in a strategic location, create play or learning areas for children, clearly mark exits, or draw attention to merchandise.

Please, contact DINO FLEX for a free estimate.



Get us under YOUR feet!

choices

DINOFLEX COLORS

	RED	GREEN	BLUE	GREY	BEIGE	PURPLE	TURQUOISE	BROWN
STANDARD COLORS								
10% COLOR INTENSITY	#3118	#3119	#3120	#3121	#3122	#3177	#3178	#3111
30% COLOR INTENSITY	#3318	#3319	#3320	#3321	#3322	#3377	#3378	#3311
50% COLOR INTENSITY	#3518	#3519	#3520	#3521	#3522	#3577	#3578	#3511

ECO LINE	RED	GREEN	BLUE	GREY
	#32P00E	#32P00F	#32P00J	#32P00G



85.5% Recycled Content!

NOTE: COLOR WILL VARY FROM TILE TO TILE

2 COLOR COMBINATIONS	10% BLUE / GREEN	10% RED / GREY	10% BEIGE / GREY	10% BLUE / GREY	10% PURPLE / TURQUOISE	10% GREY / TURQUOISE
	#3134	#3125	#3148	#3145	#3190	#3151

GRANITE FLEX	RED	GREEN	GREY
	#33P118	#33P123	#33P121
	#33P125	#33P126	#33P122
	#33P128	#33P129	#33P124

STONE LINE	SEA STONE	EARTH STONE
	BLUE #3004J7	BEIGE #3004P8
	GREEN #3004J2	ORANGE #3004P9
	TURQUOISE #3004J3	RED #3004H3

DECOR COLLECTION	AZTEK	DEEP SEA	NIGHT SKY	INDEPENDENCE	LUNAR SHOWERS	WYAN SANDS
	#3304H2	#3304H3	#3304J3	#3304H4	#3314H3	#3314H4

Custom colors available, minimum quantities will apply. The printed colors are reproduced as closely as possible to actual product colors. Contact Dinoflex for product samples



DINOMAT[®]

flooring

Standard 4ft x 6ft
vulcanized straight edge

- extremely durable
- heavy duty
- tough
- non-skid
- non-porous
- free weight areas
- under weight equipment
- arena players' boxes
- golf course bridge decks
- equestrian facilities
- 5-year warranty

SPECIFICATIONS

PRODUCT	SIZE	STANDARD THICKNESS	TYPICAL INSTALLATIONS
Sport Mat Interlock (Loose Lay)	37" x 37" = 9.5 ft ² 94cm x 94cm = 0.88m ²	5/16", 3/8", 1/2" 8 mm, 10 mm, 12 mm Tolerance of ± 0.5 mm	Fitness Centers - cardio & pilates areas, free weights, locker rooms, spinning rooms, offices
Sport Mat Square Cut (Glue Down)	38" x 38" = 10.0 ft ² 96.5cm x 96.5cm = 0.93m ²	5/32", 1/4", 5/16", 3/8", 1/2" 4 mm, 6 mm, 8 mm, 10 mm, 12 mm Tolerance of ± 0.5 mm	Ice Arenas, Ski Resorts & Golf Courses - lobbies, pro shops, stairs, wall protection, cafeterias, rental shops, locker rooms, corridors, washrooms
Dinomat	4' x 6' = 24ft ² 1.22m x 1.83m = 2.23m ²	1/2", 3/4" 12 mm, 19 mm Tolerance of ± 1.6 mm	Fitness centers, arena players boxes, industrial areas, golf course bridge decks, truck boxes, veterinary clinics, livestock facilities, horse trailers

5-YEAR WARRANTY

NOTE: All measurements are subject to nominal variation. For complete specifications and technical data, please, see our website at www.dinoflex.com



DINOFLEX Manufacturing LTD.[®]

THE RUBBER SURFACING SPECIALISTS

P.O. Box 3909
5590 - 46th Avenue S.E.
Salmon Arm, B.C.
V1E 4S1 CANADA
www.dinoflex.com

TEL (250) 832-7780
FAX (250) 832-7788
TOLL FREE TEL 1-877-713-1899
EMAIL info@dinoflex.com



DINOFLEX EUROPE

EUROPEAN DISTRIBUTOR OF DINOFLEX RUBBER FLOORING

Energiestraat 23a
NL-1411 AR Naarden
Tel: +31 (0)35-6782373
Fax: +31 (0)35-6782372
info@dinoflex.nl
www.dinoflex.nl



Get us under YOUR feet.